

NCS-5C

CHAIRMAN UNIT



Overview




The NCS-5C is a desktop base discussion microphone unit designed as a chairman microphone for Novo Conference System. The microphone unit is engineered in high-quality aluminum alloy die cast housing. The chairman microphone connects to the NCS-110 central control unit via network category 5 cable. The unit includes a shotgun Gooseneck microphone with a cardioid unidirectional pickup capsule. The microphone comes with an illuminating ring at the bottom which indicates the active status. The chairman unit prioritizes itself over all other delegate units via override button.

Key Features

- Integrated Gooseneck microphone with cardioid pickup capsule which provides clear and full sound quality, high sensitivity, and a good long-distance pick-up effect.
- Speaking status indicator: red when mute, green when speaking.
- Convenient loop through cabling via standard cat5 category.
- In-built mute button with status led.
- Aluminum finished metallic die-cast body.

Technical Specifications

POLAR PATTERN	Cardioid Condenser
FREQUENCY RESPONSE	50Hz-20KHz
SENSITIVITY	-20dBV (+/-3dB) (0db=1Vpa, f=1Khz)
MAXIMUM INPUT SOUND PRESSURE LEVEL	110dB (THD < 5%, f=1KHz)
SIGNAL TO NOISE RATIO (A-WEIGHTED)	> 100dBA (THD<1%, f=1 KHz)
DISTORTION	<0.1%
POWER SUPPLY	24V DC (supplied by the controller)
POWER CONSUMPTION	0.72W
UNIT INTERFACE	RJ45 network input
WEIGHT	about 670g
DIMENSION (MM)	147 (L) X 15 (W) X 218(H)



ERTHPOT ELECTRONICS PRIVATE LIMITED

A - 164, A Block, Noida Sector 63, Gautam Buddha Nagar
Uttar Pradesh Pin Code: 201301
info@erthpot.com